## Diabetes Health Care Plan for Insulin Administration via Insulin Pump School: **University Hospitals** Rainbow Rabies & Children's Start Date: \_\_\_\_\_ End Date: Grade/ Homeroom: \_\_\_\_\_\_ Teacher:\_\_\_\_\_ Name: Transportation: Bus Car Van ☐ Type 1 ☐ Type 2 Parent/ Guardian Contact: Call in order of preference Telephone Number Relationship Student Photo Prescriber Name Phone Fax **BG**= Blood Glucose SG= Sensor Glucose ☐ Before riding bus/walking home ☐ Always check when student is feeling high, low and during illness Snacks: Defore/after exercise, if needed Snacks are provided by parent /guardian and located in Signs of Low Blood Sugar Treatment for Hypoglycemia/Low Blood Sugar personality change, feels funny, irritability, If student is showing signs of hypoglycemia or if BG/SG is below \_\_\_\_\_mg/dl inattentiveness, tingling ☐ Treat with \_\_\_\_\_ grams of quick-acting glucose: sensations headache. hunger, clammy skin, □ \_\_\_oz juice or □ \_\_\_ glucose tablets or □ Glucose Gel or □ Other\_\_\_ dizziness, drowsiness, ☐ Retest blood sugar every 15 minutes, repeat treatment until blood sugar level is above target mg/dl slurred speech, seeing double. ☐ If no meal or snack within the hour give a 15 gram snack pale face, shallow fast ☐ If student unconscious or having a seizure (severe hypoglycemia): Call 911 and then parents breathing, fainting ☐ Give Glucagon: Amount of Glucagon to be administered: (0.5 or 1mg) IM,SC OR ☐ Baqsimi 3 mg intranasally □ Notify parent/guardian for blood sugar below \_\_\_\_\_mg/dl Treatment for Hyperglycemia /High Blood Sugar If student showing signs of high blood sugar or if blood sugar is above \_\_\_\_\_mg/dl ☐ Allow free access to water and bathroom ☐ Check ketones for blood sugar over 250 mg/dl, Notify parent/guardian if ketones are moderate to large

, i a

□ Call 911 and parent/guardian for hyperglycemia emergency. Symptoms may include nausea &vomiting, heavy breathing, severe abdominal pain, chest pain, increased sleepiness or lethargy, or loss of consciousness.

Document all blood sugars and treatment

☐ See insulin correction scale (next page)

☐ Notify parent/guardian for blood sugar over \_\_\_\_ mg/dl

☐ Student does not have to be sent home for trace/small urine ketones

	Orders for Insuli	n Administered via Pump	4 4 7	3
Brand/Model	of pump	Type of insulin in pu	mn	
		- · · · · · · · · · · · · · · · · · · ·	-	<del></del>
Jan Student I	manage Insulin Pump Independently:	□ No □ Needs super	vision (describe)	
= ×		* " ;		- S
nsulin to C	arb Ratio: units per grams	Correction Scale:	unita nar	
live lunch de	ose.   hetore meals   immediately of an analy	= SERCION Scale.	_units perover	mg/dl
	ose:   before meals immediately after meal			1
	authorized to adjust insulin dosage +/- byu		s:	
Increase/Dec	crease Carbohydrate	vity □Parties □Othe	er	
tudent may:	☐ Use temporary rate ☐ Use extended bolu	s Suspend pump for a	ctivity/lows	
	oot able to perform above features on own, stafj	* * I		
	set uses to perform above features on own, suff	will only be able to susper	na pump for severe lows.	
	☐ Student/parent insert new infusion set		nange own infusion set	Yes 1
For suspecte	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using predictions.	t/guardian		
For suspecte	☐ Administer insulin by pen or syringe using pred pump failure suspend pump and contact paren☐ Administer insulin by syringe or pen using prediction.	t/guardian		(d
For suspecte	☐ Administer insulin by pen or syringe using pured pump failure suspend pump and contact paren ☐ Administer insulin by syringe or pen using pure the contact paren   ☐ Activities/Skills	t/guardian ump recommendation	endent	
For suspecte	☐ Administer insulin by pen or syringe using pred pump failure suspend pump and contact paren ☐ Administer insulin by syringe or pen using prediction of the prediction of th	t/guardian ump recommendation Indep	endent No	
For suspecte	☐ Administer insulin by pen or syringe using pred pump failure suspend pump and contact paren ☐ Administer insulin by syringe or pen using prediction of the prediction of th	Indeposit Yes Yes	No No	
For suspecte	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using predictions.  Activities/Skills Blood Glucose Monitoring Carbohydrate Counting Selection of snacks and meals	Independent of Yes Yes Yes Yes Yes Yes	No No No	
For suspecte	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using predictions.  Activities/Skills Blood Glucose Monitoring Carbohydrate Counting Selection of snacks and meals Treatment for mild hypoglycemia	t/guardian ump recommendation  Indeper Yes Yes Yes Yes Yes Yes Yes Yes Yes	No No No	
For suspecte	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using predictions.  Activities/Skills Blood Glucose Monitoring Carbohydrate Counting Selection of snacks and meals Treatment for mild hypoglycemia Test urine/blood for ketones	Indeposit Yes	No No No No No	
For suspecte	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using predictions.  Activities/Skills Blood Glucose Monitoring Carbohydrate Counting Selection of snacks and meals Treatment for mild hypoglycemia	t/guardian ump recommendation  Indeper Yes Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No No No No	
	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using prediction of Skills  Blood Glucose Monitoring Carbohydrate Counting Selection of snacks and meals Treatment for mild hypoglycemia Test urine/blood for ketones Management of Insulin Pump Management of CGM	Indeport Yes	No No No No No	
uthorization	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using prediction of Skills  Blood Glucose Monitoring Carbohydrate Counting Selection of snacks and meals Treatment for mild hypoglycemia Test urine/blood for ketones Management of Insulin Pump Management of CGM  for the Release of Information:	Independent of the second of t	No	
uthorization	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using prediction of shades and meals and meals are turine/blood for ketones Management of CGM  for the Release of Information:  ermission for (school contact parent grades and pend contact parent grades and pend contact parent grades are using prediction of shades and meals are turine/blood for ketones grades are turine/blood for ketones grades are the release of Information:	Independent of the second of t	No N	
uthorization hereby give po	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using pred pump and contact parent Administer insulin by syringe or pen using prediction of pen using pen using prediction of pen using	Independent of the second of t	No N	
<b>uthorization</b> nereby give po	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using prediction of shades and meals and meals are turine/blood for ketones Management of CGM  for the Release of Information:  ermission for (school contact parent grades and pend contact parent grades and pend contact parent grades are using prediction of shades and meals are turine/blood for ketones grades are turine/blood for ketones grades are the release of Information:	Independent of the second of t	No the develop more effective at the contraction of t	
uthorization hereby give poroviding for the	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using prediction of pen using prediction of glucose Monitoring Carbohydrate Counting Selection of snacks and meals Treatment for mild hypoglycemia Test urine/blood for ketones Management of Insulin Pump Management of CGM  for the Release of Information:  (scho	Independent of the second of t	No N	
<b>uthorization</b> hereby give po	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using prediction of sucks and meals and meals are turine/blood for ketones and meals and meals are turine/blood for ketones and meals and meals are turine/blood for ketones are turine/blood for ketones and meals are turine/blood for ketones	Independent of the second of t	No Tridential medical information, to develop more effect  University Hospita	tive ways of
uthorization nereby give po oviding for th	Administer insulin by pen or syringe using pred pump failure suspend pump and contact parent Administer insulin by syringe or pen using pred Administer insulin by syringe or	Independent of the second of t	No This develop more effect  psi	tive ways of

Name: